



Corrsystem

ÚNETE AL FUTURO

DISTRIBUIDORES
OFICIALES EN MÉXICO DE:



HUALI
CARTON MACHINERY

¿POR QUÉ ELEGIR CORRSYSTEM?

En Corrsystem somos la empresa con más tiempo en el mercado (actualmente 35 años). Tenemos una visión 360° de la operación en una planta de fabricación de cartón corrugado. Este conocimiento es el que utilizamos para guiar a nuestros clientes hacia las mejores decisiones empresariales.

TE APOYAMOS EN:



SOFTWARE ESPECIALIZADO

Único en el mercado para plantas de conversión que organiza y automatiza el flujo de la operación.



VENTA DE MAQUINARIA

La especializada para las artes gráficas; desde flexográficas, hasta cortadoras.




REFACCIONES Y MANTENIMIENTO

Para dar cuidado y extender la vida de los equipos. Todos los equipos cuentan con el respaldo especial.

¿QUIERES CONOCER EL EQUIPO QUE VAS A COMPRAR?

La máquina que necesitas está en nuestro almacén (a 15 minutos del aeropuerto de la CDMX) esperando que la conozcas y la pruebes funcionando...



LÍNEA AUTOMÁTICA DE PRODUCCIÓN

Máquina integrada: pegado, troquelado, ranura de impresión de alta velocidad (impresión hacia arriba, plegado hacia abajo)

EQUIPO INTEGRAL DE IMPRESIÓN, TROQUELADO, PEGADO Y EMPAQUETADO. SE PUEDE CONFIGURAR DE ACUERDO A LOS REQUERIMIENTOS ESPECÍFICOS.

DESDE \$198,000 USD

NO INCLUYE IVA

FUNCTIONS AND CHARACTERISTICS:

- The machine adopts integrated control technology, printing, glue box online control, order management, review, improve production efficiency.
- Perfect tracking and detection technology, when the glue box department jammed cardboard and other faults, the printing machine automatically stop feeding function.
- Cardboard folding down.
- Both sides of the rectifying belt respectively speed adjustment, effectively correct the phenomenon of fish tail.
- Counting output department is adopt up stacking type.
- By three sets of servo motor together to form a high speed operation of accurate counting, stacking, output function.

¿SIN EXPERIENCIA EN ESTE TIPO DE MÁQUINAS?

¿Sin logística? y ¿sin técnicos que la instalen?
¡SIN PROBLEMA! Nosotros te ayudamos en cada paso para que tu
 equipo nuevo esté operando en tus instalaciones.



ADSORCIÓN AL VACÍO TOTALMENTE AUTOMÁTICA

Impresión En Alta Definición - Secado - Máquina Troqueladora
 (Tipo De Impresión Arriba)

IMPRIME HASTA **60,000** CAJAS POR TURNO, EL EQUIVALENTE A
150 CAJAS POR MINUTO.

DESDE \$120,000 USD

NO INCLUYE IVA

FUNCTIOS AND CHARACTERISTICS:

High Precision: +0.3mm accuracy is derived from servo drive, No pressure feeding system and vacuum absorption transmission.

High definiton: 130Lpi Printing Line, Originated from Closed doctor blade with Ceramic anilox Roller and Precision Pressure Regulating System

High efficiency: Paper feeding, dust removal, printing, infrared drying, polishing, infrared

(ultraviolet) drying, die cutting and stacking complete the production process at one time. The production speed is between 100 and 150 pcs per minute.

High Quality: CNC Intelligent Control System is used to cooperate with Germany Bosch Rexroth to achieve long-distance maintenance through network and ensure long-term stable operation of equipment.

Low Consumption: Excellent detail design and on-line production can save more production materials and labor costs.

LA TECNOLOGÍA MÁS AVANZADA DEL PLANETA...

...A una fracción del precio es la China, no corras riesgos de transportación o aduanas, ya la tenemos armada para que la vengas a conocer.



MÁQUINA TROQUELADORA

Ranuradora económica de alta velocidad de impresión
(Transmisión del rodillo de impresión arriba)

CUENTA CON: TROQUELADO O RANURADO Y (SLOTTER) CON
ALINEACIÓN AUTOMÁTICA.

DESDE \$95,000 USD

NO INCLUYE IVA

FUNCTIONS AND CHARACTERISTICS:

Servo feeding system, vacuum adsorption transmission, suitable for all kinds of corrugated cardboard, increased thin cardboard and warped cardboard transmission stability, high speed, precision.

The main engine, fan, phase motor and other parts are controlled by frequency converter. The speed regulation is stable, power saving, accurate and reliable. High precision gear transmission, precision and durability: 20CrnT high frequency quenching, hardness HRC58-

62, up to the national class level 6 accuracy, long-term use, high overprint accuracy.

Automatic Zero Return System, Storage of Order, Quick Order Change, Convenient Operation.

Main drive bearings NSK of Japan, all dynamic balance correction of drive shaft to ensure transmission stability. Mechanical automatic lubrication system, equipped with automatic balancing device, enhances the service life of transmission gears.

SOMOS TU DEPARTAMENTO DE COMPRAS EN MÉXICO

Cuando las grandes empresas quieren comprar equipo llaman a su departamento de compras que negocia, coordina el envío y gestiona los permisos. Cuando una Pyme necesita lo mismo llama a Corrssystem.



**MÁQUINA RANURADORA
ROTATIVA AUTOMÁTICA
DE ALTA VELOCIDAD**
(Alimentador de vacío)

MÓDULO ÚNICO QUE INCLUYE SISTEMA DE **ALIMENTACIÓN Y
TROQUELADO** (NO CUENTA CON MÓDULO DE IMPRESIÓN).

DESDE \$49,000 UDS

NO INCLUYE IVA

FUNCTIOS AND CHARACTERISTICS:

Roller type front feeding structure, rounds, multipoint suction feeding. high friction, high speed paper feeding smoothly and accurate.

Frequency conversion of suction can adjust the wind volume, and the wind pressure can be adjusted by the size of the paperboard, increase the thin board and the bend board convey stability and accurately.

The machine gear are 40Cr forging, high frequency quenching treatment, grinding: Using spray type automatic lubrication, greatly improve the operation precision and service life.

Machine transmission parts (shaft, gear joint) are adopted free key connection, the connection eliminate clearance. It is suitable for long-term high speed with high torque.

Up creasing roller package polyurethane, Don't damage the cardboard

Single roller double blade slotter, carton height adjust adopt PLC and digital electric, touch screen control.

Slotting phase adjustment adopt PLC touch screen, downtime and operation all can be adjusted.

Slotting knife holder and creasing roller lateral movement adopts synchronous electric adjustment. PLC touch screen adjustment, direct input the carton size, automatic adjustment.

line pressing space and blade shaft space adopt self-locking structure adjustment.

All the slotting knife holder lateral movement have collision protection device (electrical model).

Slotting knife width is 7mm. alloy material, after heat treatment, grinding. tooth slotted knife, double-piece model cutting edge knife, knife edge sharp, high precision.

Option: "slot revolution" patent technology, improve the slotting precision, no burr, don't pick Angle, effect similar to die cutting.

¿POR QUÉ PAGAR MÁS?

Un equipo chino vale entre un 10% y 15% de lo que cuesta un equipo americano; lo que pocos saben es que las dos máquinas fueron construidas en el mismo lugar.



**DOBLADORA Y PEGADORA
AUTOMÁTICA**

REALIZA **DOBLADO, PEGADO** Y ENTREGA LAS **CAJAS CONTADAS**
LISTAS PARA SER EMPAQUETADAS.

DESDE \$48,000 USD

NO INCLUYE IVA

FUNCTIOS AND CHARACTERISTICS:

Average glueing speed should be 8000-10000pos hour, fast speed, which improves productivity greatly. Automatic paper supply, automatic glue coating, automatic folding, automatic correction, automatic counting, only two people can complete the whole process.

Adopt suction belt feeding method, simple structure, fast speed, accurate feeding.

Adopted tooth nail belt paper feeding method, paper feeding accurate: And with the function of secondary indentation, the carton folding is more accurate.

It has the function of secondary rectifying deviation, eliminating the big and small mouth and reducing the reject rate.


With differential speed correction adjustment function, completely eliminate scissor forks, folding more accurate.

Collection section automatic counting, shaping, piling into the code, the whole code output, speed is fast

Can combination of automatic packaging binding machine line, high speed, saving labor.

¡NO COMPRES PROBLEMAS!

Otras empresas tardan hasta 4 meses en traer tu máquina y puede llegar dañada. Nosotros tenemos el equipo que buscas en nuestro país, incluso lo puedes probar, además cuentas con un año de garantía.



PEGADORAS SEMI AUTOMÁTICAS BZX2800

CONTAMOS CON DOS TIPOS DE MÁQUINAS; PARA CAJAS REGULARES E IRREGULARES. LA ALIMENTACIÓN ES MANUAL Y TAMBIÉN SE PUEDE PROGRAMAR LA CANTIDAD DE CAJAS POR PAQUETE.

DESDE \$15,000 USD

NO INCLUYE IVA

FUNCTIONS AND CHARACTERISTICS:

AFG Semi-auto Gluer machine(Combined pressure Model) is the latest exploit. According to the small order of the user.it has a small volume and cover an area of small. Easy operation without having experienced, Suitable for transform small batch products. Applicable range is very wide, Ordinary carton. Heterogeneous shape can be glued, Max Mechanical speed is 56m/min, Efficiency is higher

4 times than manual operation:Adhesive is strong. Tidy not leak adhesive, Light membrane of plastic coated of sticky mouth section can be polished and removed by two-headed burnish implement, Improve the glue adhesive,Solve the cartons are easy to opening glue problem in some seasons.in this machine, folding carton is manual, Improve the work efficiency meanwhile correct wrong indentation line.

HEMOS SELECCIONADO LAS MEJORES SOLUCIONES

Te guiaremos hacia la mejor decisión porque somos los únicos en conocer todos los procesos de una planta transformadora de cartón.

MÁQUINA DE COSER

BDJ doble servo semiautomático



GRAPADORA DE CAJAS DE CARTÓN CON ALIMENTACIÓN MANUAL. PUEDE PROGRAMAR EL NÚMERO DE GRAPAS QUE PONDRÁ EN CADA CAJA, ASÍ COMO LA CANTIDAD DE CAJAS POR PAQUETE.

DESDE \$23,000 USD

NO INCLUYE IVA

FEATURES:

- One minute quick order change.
- Easy operation.no training is necessary.
- Single, double supplement stitching available
- The paper feeding section automatically counts and automatica ly sends out after bunching, which is convenient for bundling.

- Touch screen operate.
- Adopt servo system.
- The nail distance can reach 100mm.
- Can nail with lid box and without lid box.
- Nail distance can set up directly in the touch screen.
- Auto adjust paperboard thickness.

¿HAS TENIDO MALAS EXPERIENCIAS?

¡No más! Tenemos refacciones originales y nuestro equipo ha sido capacitado en China por HUALI para dar mantenimiento a los equipos.



LÍNEA DE PRODUCCIÓN DE CARTÓN CORRUGADO DE ALTA VELOCIDAD. IDEAL PARA PRODUCCIÓN MASIVA AUTOMATIZADA.

SE CONFIGURA DE ACUERDO A LAS NECESIDADES ESPECÍFICAS COMO EL
NÚMERO DE PAPELES, EL TIPO DE FLAUTAS, RODILLOS CORRUGADORES,
TIPOS DE SECADO, ETC.

DESDE \$490,000 USD

NO INCLUYE IVA

FUNCTIOS AND CHARACTERISTICS:

Corrugation Line comprises such computer-controlled equipment as reel stand, preheating cylinder, single facer, glue machine, double facer, slitter scorer, cut-off machine, stacker also with air compression system, glue preparation system, electrical control system,

which reduces the labor intensity of operator, the cost and gets high efficiency. Besides, customized green, environment-protect, high-efficiency workshop layout design and high automation solution can be supplied to customers, making the production line have better adaptability and pertinency in the market.

EMPALMADORA AUTOMÁTICA

(Tipo pórtico)



DESDE \$25,000 USD

NO INCLUYE IVA

UNE SINGLE FACER Y PAPEL IMPRESO

FUNCTIONS AND CHARACTERISTICS:

- The vacuum suction-type feeding system can lead the paper accurately into the machine; cycle stacking frame, can stack the next batch of paper in a state of non-stop, so that more efficient.
- Using suction automatic feeding bottom sheet, according to the manual speed of surface paper, continuous automatic tracking.
- The machine operation is stable, surface paper with corrugated paper joint very Accurate. The corrugated paper never pull ahead, surface paper's location is easy adjust.

- Machine uses touch-screen/PLC/servo motor control system, the circuit system is stable, and can automatically display the failure alarm.
- Automatic gluing, and the glue can be used circulatory, avoid glue waste.
- Roller design scientifically, avoid glue fly out when the speed is high.
- Pressure rollers adopt unilateral adjustment, convenient and fast.
- Rocker controls wash rollers lifting, easy cleaning.
- Counter designs scientifically, easy recording the amount you have been worked.



DESDE \$25,000 USD

NO INCLUYE IVA

MÁQUINA TROQUELADORA Y PLEGADORA

Estampado programado por computadora

APPLICATION:

Die-cutting and creasing machine are used for working many materials, such as cardboard, corrugated board, plastic and leather. They are widely used in printing, package, decoration industry. Products are sold best in the global due to its high quality and good service.

¡LOS MÁS VENDIDOS!

Si no encuentras el equipo en este catálogo, podemos cotizar con HUALI el equipo que necesitas. En caso de requerir equipo especializados en cartón corrugado nosotros podemos hacerte una propuesta.

DESDE \$110,000



MÁQUINA CORTADORA
ROTATIVA

DESDE \$195,000




CAIMAN
CORTADORA Y
RANURADORA DE 4
RANURAS

DESDE \$295,000




MÁQUINA CORTADORA
DE HOJA DELGADA

DESDE \$160,000



MÁQUINA
COSPIZADORA
DOBLE SERVO

DESDE \$220,000



MÁQUINA
TROQUELADORA DE
PLATAFORMA

LOS COSTOS DE LA MAQUINARIA DE ESTA PÁGINA ESTÁN EXPRESADOS
EN PESOS MEXICANOS Y NO INCLUYEN IVA.

PREGUNTAS FRECUENTES



¿PUEDO VER LA MÁQUINA EN SU ALMACÉN?

-¡Claro! con previa cita.

¿PUEDO PERSONALIZAR MI EQUIPO?

-Sí. En caso de requerir características especiales como módulos extras u otro color, las máquinas se mandan a hacer.

¿PUEDEN INSTALAR Y/O REPARAR MI EQUIPO?

-Claro que sí, somos especialistas capacitados directamente con el fabricante.

¿CUELTAN CON ALGUNA GARANTÍA?

-Todos nuestros equipos tienen garantía de un año directo con nosotros.

¿RECIBO FACTURA?

Sí, factura mexicana (ningún costo de los mostrados en este brochure incluye IVA).

NO ENCONTRÉ EL EQUIPO QUE BUSCABA...

Podemos cotizar con el fabricante el equipo que necesitas.

¿TODOS LOS COSTOS SON EN DÓLARES AMERICANOS?

-Sí, excepto los de la página ¡LOS MÁS VENDIDOS! (pesos mexicanos).
Para compras en USD, el tipo de cambio se toma como referencia el día del pago.

¿PUEDO COTIZAR PIEZAS ADICIONALES?

Así es... Consigue piezas de repuesto originales con nosotros y compra con seguridad.

¿POR QUÉ ELEGIR CORRSYSTEM?



● Tenemos un amplio stock.

● Contamos con una relación directa de varios años con el fabricante.



● Nos ubicamos a 15 minutos del aeropuerto de la CDMX.



● Tenemos los equipos más populares montados y listos para demostración.

¡CONTÁCTANOS!

Preparamos tu propuesta el mismo día

CONTATO:

☎ 55 5749 2081 Almacén

📞 55 1263 7294 Ventas

VISITA:

corrssystem.com